



Adaptador curvo 45° macho NPTF x macho JIC




Série	Bar	Código Antigo	P	JIC 37°	Código Novo
UNIVERSAL	350	VMNMJ-02-04	1/8"-27	7/16"-20	XX2627261X-02-04
		VMNMJ-02-05	1/8"-27	1/2"-20	XX2627261X-02-05
		VMNMJ-04-06	1/4"-18	9/16"-18	XX2627261X-04-06
		VMNMJ-06-08	3/8"-18	3/4"-18	XX2627261X-06-08
		VMNMJ-08-10	1/2"-14	7/8"-14	XX2627261X-08-10
	290	VMNMJ-12-12	3/4"-14	1.1/16"-12	XX2627261X-12-12
	240	VMNMJ-16-16	1"-11.1/2	1.5/16"-12	XX2627261X-16-16
		VMNMJ-20-20	1.1/4"-11.1/2	1.5/8"-12	XX2627261X-20-20
		VMNMJ-24-24	1.1/2"-11.1/2	1.7/8"-12	XX2627261X-24-24
	350	VMNMJ-04-04	1/4"-18	7/16"-20	XX2627261X-04-04
		VMNMJ-04-05	1/4"-18	1/2"-20	XX2627261X-04-05
		VMNMJ-02-06	1/8"-27	9/16"-18	XX2627261X-02-06
		VMNMJ-06-06	3/8"-18	9/16"-18	XX2627261X-06-06
		VMNMJ-08-06	1/2"-14	9/16"-18	XX2627261X-08-06
		VMNMJ-04-08	1/4"-18	3/4"-18	XX2627261X-04-08
		VMNMJ-08-08	1/2"-14	3/4"-16	XX2627261X-08-08
		VMNMJ-12-08	3/4"-14	3/4"-16	XX2627261X-12-08
		VMNMJ-06-10	3/8"-18	7/8"-14	XX2627261X-06-10
		VMNMJ-12-10	3/4"-14	7/8"-14	XX2627261X-12-10
	290	VMNMJ-08-12	1/2"-14	1.1/16"-12	XX2627261X-08-12
		VMNMJ-16-12	1"-11.1/2	1.1/16"-12	XX2627261X-16-12
	240	VMNMJ-12-16	3/4"-14	1.5/16"-12	XX2627261X-12-16
		VMNMJ-16-20	1"-11.1/2	1.5/8"-12	XX2627261X-16-20

Adaptador curvo 45° fêmea JIC x macho JIC




Série	Bar	Código Antigo	JIC 37°	Código Novo
UNIVERSAL	450	VFJMJ-04-04	7/16"-20	XX2650261X-04-04
		VFJMJ-05-05	1/2"-20	XX2650261X-05-05
	350	VFJMJ-06-06	9/16"-18	XX2650261X-06-06
		VFJMJ-08-08	3/4"-16	XX2650261X-08-08
		VFJMJ-10-10	7/8"-14	XX2650261X-10-10
		VFJMJ-12-12	1.1/16"-12	XX2650261X-12-12
	290	VFJMJ-16-16	1.5/16"-12	XX2650261X-16-16
	240	VFJMJ-20-20	1.5/8"-12	XX2650261X-20-20
		VFJMJ-24-24	1.7/8"-12	XX2650261X-24-24

Adaptador 45° macho orientável BSP x macho JIC




Série	Bar	Descrição	G	JIC 37°	Código Novo
UNIVERSAL	350	VMBOMJ-02-04	1/8"-28	7/16"-20	XX2714261X-02-04
	315	VMBOMJ-04-05	1/4"-19	1/2"-20	XX2714261X-04-05
		VMBOMJ-04-06	1/4"-19	9/16"-18	XX2714261X-04-06
	250	VMBOMJ-06-08	3/8"-19	3/4"-16	XX2714261X-06-08
		VMBOMJ-08-10	1/2"-14	7/8"-14	XX2714261X-08-10
		VMBOMJ-12-12	3/4"-14	1.1/16"-12	XX2714261X-12-12
	200	VMBOMJ-16-16	1"-11	1.5/16"-12	XX2714261X-16-16
		VMBOMJ-20-20	1.1/4"-11	1.5/8"-12	XX2714261X-20-20
	160	VMBOMJ-24-24	1.1/2"-11	1.7/8"-12	XX2714261X-24-24
	315	VMBOMJ-04-04	1/4"-19	7/16"-20	XX2714261X-04-04
	250	VMBOMJ-06-04	3/8"-19	7/16"-20	XX2714261X-06-04
		VMBOMJ-08-04	1/2"-14	7/16"-20	XX2714261X-08-04
	350	VMBOMJ-02-05	1/8"-28	1/2"-20	XX2714261X-02-05
	250	VMBOMJ-06-05	3/8"-19	1/2"-20	XX2714261X-06-05
		VMBOMJ-06-06	3/8"-19	9/16"-18	XX2714261X-06-06
		VMBOMJ-08-06	1/2"-14	9/16"-18	XX2714261X-08-06
	315	VMBOMJ-04-08	1/4"-19	3/4"-16	XX2714261X-04-08
	250	VMBOMJ-08-08	1/2"-14	3/4"-16	XX2714261X-08-08
		VMBOMJ-12-08	3/4"-14	3/4"-16	XX2714261X-12-08
		VMBOMJ-06-10	3/8"-19	7/8"-14	XX2714261X-06-10
		VMBOMJ-12-10	3/4"-14	7/8"-14	XX2714261X-12-10
		VMBOMJ-08-12	1/2"-14	1.1/16"-12	XX2714261X-08-12
	200	VMBOMJ-16-12	1"-11	1.1/16"-12	XX2714261X-16-12
	250	VMBOMJ-12-16	3/4"-14	1.5/16"-12	XX2714261X-12-16
200	VMBOMJ-20-16	1.1/4"-11	1.5/16"-12	XX2714261X-20-16	
		VMBOMJ-16-20	1"-11	1.5/8"-12	XX2714261X-16-20
		VMBOMJ-20-24	1.1/4"-11	1.7/8"-12	XX2714261X-20-24

Adaptador 45° macho orientável UNF x macho JIC




Série	Bar	Código Antigo	W	JIC 37°	Código Novo
UNIVERSAL	400	VMSOMJ-04-04	7/16"-20	7/16"-20	XX2733261X-04-04
		VMSOMJ-05-05	1/2"-20	1/2"-20	XX2733261X-05-05
	350	VMSOMJ-06-06	9/16"-18	9/16"-18	XX2733261X-06-06
		VMSOMJ-08-08	3/4"-16	3/4"-16	XX2733261X-08-08
		VMSOMJ-10-10	7/8"-14	7/8"-14	XX2733261X-10-10
		VMSOMJ-12-12	1.1/16"-12	1.1/16"-12	XX2733261X-12-12
	290	VMSOMJ-16-16	1.5/16"-12	1.5/16"-12	XX2733261X-16-16
	240	VMSOMJ-20-20	1.5/8"-12	1.5/8"-12	XX2733261X-20-20
		VMSOMJ-24-24	1.7/8"-12	1.7/8"-12	XX2733261X-24-24
	400	VMSOMJ-05-04	1/2"-20	7/16"-20	XX2733261X-05-04
	350	VMSOMJ-08-06	3/4"-16	9/16"-18	XX2733261X-08-06
		VMSOMJ-10-08	7/8"-14	3/4"-16	XX2733261X-10-08
		VMSOMJ-08-10	3/4"-16	7/8"-14	XX2733261X-08-10
		VMSOMJ-08-12	3/4"-16	1.1/16"-12	XX2733261X-08-12
		VMSOMJ-10-12	7/8"-14	1.1/16"-12	XX2733261X-10-12
	290	VMSOMJ-16-12	1.5/16"-12	1.1/16"-12	XX2733261X-16-12
		VMSOMJ-12-16	1.1/16"-12	1.5/16"-12	XX2733261X-12-16
	240	VMSOMJ-20-16	1.5/8"-12	1.5/16"-12	XX2733261X-20-16

Adaptador 45° macho NPTF x fêmea NPTF



Série	Bar	Código Antigo	A	B	Código Novo
UNIVERSAL	350	VMNFN-02-02	1/8"-27	1/8"-24	XX2627581X-02-02
		VMNFN-04-04	1/4"-18	1/4"-18	XX2627581X-04-04
	250	VMNFN-06-06	3/8"-18	3/8"-18	XX2627581X-06-06
	225	VMNFN-08-08	1/2"-14	1/2"-14	XX2627581X-08-08
	200	VMNFN-12-12	3/4"-14	3/4"-14	XX2627581X-12-12
		VMNFN-16-16	1"-11.1/2	1"-11.1/2	XX2627581X-16-16
		VMNFN-20-20	1.1/4"-11.1/2	1.1/4"-11.1/2	XX2627581X-20-20
	160	VMNFN-24-24	1.1/2"-11.1/2	1.1/2"-11.1/2	XX2627581X-24-24
		100	VMNFN-32-32	2"-11.1/2	2"-11.1/2

Adaptador 45° Fêmea NPTF



Série	Bar	Código Antigo	A	Código Novo
UNIVERSAL	350	VFNFN-02-02	1/8"-27	XX2658581X-02-02
		VFNFN-04-04	1/4"-18	XX2658581X-04-04
	250	VFNFN-06-06	3/8"-18	XX2658581X-06-06
	225	VFNFN-08-08	1/2"-14	XX2658581X-08-08
	200	VFNFN-12-12	3/4"-14	XX2658581X-12-12
		VFNFN-16-16	1"-11.1/2	XX2658581X-16-16
		VFNFN-20-20	1.1/4"-11.1/2	XX2658581X-20-20
	160	VFNFN-24-24	1.1/2"-11.1/2	XX2658581X-24-24
		100	VFNFN-32-32	2"-11.1/2